6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

Certificate of Analysis

Product: Goat anti-HCG (intact), Affinity Pure

Part Number: GtxHu-009-D Lot Number: 41-84-040115

Concentration: $10.0 \text{ mg/ml} (E^{1\%} \text{ at } 280 \text{ nm} = 13.0)$

Amount: 1.0 mg

Form: Clear, colorless liquid, 0.2 µm filtered

Purification: Affinity purified using solid phase Human HCG

Purity: > 95 % based on SDS-PAGE

Host: Goat

Immunogen: Human Chorionic Gonadotropin, α and β subunits

Buffer: 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Preservative: 0.05 % (w/v) Sodium Azide

Storage: 2 - 8 °C

Expiration Date: August 26, 2024

Specificity: Human HCG (α and β subunits)

Cross Reactivity: Alpha (α) subunits on TSH, FSH and LH

Country of Origin: Goat serum was obtained from healthy animals of US origin under the care of

a registered veterinarian.

Applications: Suitable for use in: ELISA, WB, IHC, ICC, CL, FACS, IM, IF

The optimal working dilution should be determined by the investigator.

Disclaimer: For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not

for human or animal consumption. The proper selection and use of our products is the sole responsibility of the end user, and therefore we can offer no guarantee to a specific experimental outcome. Suggested applications of our products are not recommendations to use our products in violation of any

patent or as a license under any patent of ImmunoReagents, Inc.

Product may not be resold or modified for resale without prior written

approval of ImmunoReagents, Inc.

6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

Testing Results

PRODUCT: Goat anti-HCG (intact), Affinity Pure


PART NUMBER: GtxHu-009-D **LOT NUMBER:** 41-84-040115

<u>TESTS</u> <u>SPECIFICATIONS</u> <u>RESULTS</u>

Appearance: Clear, colorless liquid PASS

Purity: Two predominant bands at 50 and 24 kDa based on SDS-PAGE PASS

SDS-PAGE



- 1) GtxHu-009-D, Lot # 41-84-040115
- 2) Mol Weight Standard

Date: August 26, 2021 Signature:

Quality Control

Phone: 919-831-2240 · <u>www.ImmunoReagents.com</u> · Fax: 919-831-2240