## \*ImmunoReagents,Inc.

6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

## **Certificate of Analysis**

Product:	Goat anti-Antithrombin III, Affinity Pure	
Part Number: Lot Number: Concentration: Amount: Form: Purification: Purity: Host: Immunogen: Buffer: Preservative: Storage: Expiration Date:	GtxHu-031-D 5-90-091707 5.33 mg/ml (E <sup>1%</sup> at 280 nm = 13.0) 1.0 mg Clear, colorless liquid, 0.2 µm filtered Affinity purified using solid-phase Human Antithrombin III > 95% based on SDS-PAGE Goat Purified Human Antithrombin III 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 0.05 % (w/v) Sodium Azide 2-8 ° C February 25, 2021	
Country of Origin:	Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.	
Applications:	This antibody is suitable for use in most immunoassay formats for the detection or capture of Human Antithrombin III. This antibody is suitable for use in Western ImmunoBlots. The optimal working dilution should be determined by the investigator.	
Disclaimer:	For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not for human or animal consumption. The proper selection and use of our products is the sole responsibility of the end user, and therefore we can offer no guarantee to a specific experimental outcome. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc.	
	Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.	

## \*ImmunoReagents,Inc.

6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

## **Testing Results**

PRODUCT: PART NUMBER: LOT NUMBER:	Goat anti-Antithrombin III, Affinity Pure GtxHu-031-D 5-90-091707	
<u>TESTS</u>	<b>SPECIFICATIONS</b>	<u>RESULTS</u>
Appearance:	Clear and Colorless	PASS
Purity:	Two predominant bands at 50 and 24 kDa based on SDS PAGE	PASS
<u>SDS PAGE</u>		
1 2	kDa	
31	kDa	
21	kDa	

- 1) GtxHu-031-D, Lot 5-90-091407
- 2) Mol Weight Standard

Date: February 27, 2019

Signature: Quality Control